Modelo	27GR75Q
Número de parte	27GR75Q-B
Marca	LG
Color	Negro
Garantía de fábrica	36 Meses CARRY-IN

		27GR75Q
Pantalla	Nombre del producto	UltraGear
	Año	Y23
	Pulgadas	27
	Medida de pantalla (cm)	68.5
	Resolucion	2560 x 1440
	Tipo de panel	IPS
	Relacion de aspecto	16:9
	Tecnologia	TECNOLOGIA: LCD CON RETROILUMINACION LED
	Pixel Pitch	0.2331 x 0.2331
	Brillo (Min.)	240
	Brillo (Typ.)	300
	Color Gamut (Min.)	sRGB 95% (CIE1931)
	Color Gamut (Typ.)	sRGB 99% (CIE1931)
	Profundidad de color (Numero de Colores)	16.7M
	Relacion de contraste (Min.)	700:1
	Relacion de Contraste (Typ.)	1000:1
	Tiempo de respuesta	1ms (GtG at Faster)
	Frecuencia (Max.) [Hz]	165
	Angulo de vision (CR≥10)	178º(R/L), 178º(U/D)
	Curvado	N/A
	HDR 10	SI
	Dolby Vision™	NO
	VESA DisplayHDR™	NO
	HDR Effect	SI
	Mini-LED Technology	NO
	Nano IPS™ Technology	NO
	Advanced True Wide Pol.	NO
	Color Calibrated in Factory	SI
	HW Calibration	NO
	Auto Brightness	NO
	Flicker Safe	SI

Características	Reader Mode	SI
	Color Weakness	NO
	Super Resolution+	NO
	Motion Blur Reduction Tech.	SI
	NVIDIA G-Sync™	G-SYNC Compatible
	AMD FreeSync™	SI (Premium)
	VRR	NO
	VESA Adaptive Sync	
	VESA ClearMR	
	Black Stabilizer	Black Stabilizer
	Dynamic Action Sync	SI
	Crosshair	SI
	FPS Counter	SI
	OverClocking	NO
	User Defined Key	SI
Ajuste de Monitor	Auto Input Switch	SI
	RGB LED Lighting	NO
	PBP	NO
	PIP	NO
	Smart Energy Saving	SI
	Camera	NO
	Mic	NO
	Others (Feature)	
	LG Calibration Studio (True Color Pro)	NO
	Dual Controller	NO
	OnScreen Control (LG Screen Manager)	SI
	LG UltraGear™ Control Center	NO
	LG UltraGear™ Studio	NO
	D-Sub	NO
	D-Sub (Max. Resolution at Hz)	N/A
	DVI-D	NO
	DVI (Max Resolution at Hz)	N/A
	HDMI	SI (2ea)
	DisplayPort	SI (1ea)
	DP Version	1.4
	Thunderbolt	NO
	Thunderbolt (Max. Resolution at Hz)	N/A
	Thunderbolt (Data Transsmission)	NO
	Thunderbolt (Power Delivery)	N/A

Conexión	USB-C	NO
	USB-C (Max. Resolution at Hz)	N/A
	USB-C (Data Transsmission)	NO
	USB-C (Power Delivery)	N/A
	Daisy Chain	NO
	USB Upstream Port	NO
	USB Downstream Port	NO
	Built-in KVM	NO
	LAN (RJ-45)	NO
	SPDIF out (Optical Digital Audio Out)	NO
	Audio In	NO
	Mic In	NO
	Headphone out	3-pole (Sound Only)
	Line out	NO
	Speaker	NO
	Bluetooth Conectivity	NO
	DTS HP:X	NO
	Maxx Audio	NO
	Rich Bass	NO
Energía	Type	External Power(Adapter)
	AC Input	100~240V (50/60Hz)
	Power Consumption (Typ.)	45W
	Power Consumption (Max.)	48W
	Power Consumption (Energy Star)	N/A
	Power Consumption (Sleep Mode)	Less than 0.3W
	Power Consumption (DC Off)	Less than 0.3W
Posicion, peso y medida	Display Position Adjustments	Tilt/Height/Pivot
	Wall Mountable [mm]	100 x 100
	Dimension with Stand (W x H x D) [mm]	613.5x569.8/459.8x291.2
	Dimension without Stand (W x H x D) [mm]	613.5x371.6x51.3
	Dimension in Shiping (W x H x D) [mm]	691x513x185
	Weight with Stand [kg]	6.19
	Weight without Stand [kg]	4.05
	Weight in Shipping [kg]	8.55
	Empaque de producto	Caja (SI)
	D-Sub	NO
	DVI-D	NO

Accesorios	HDMI	NO
	Display Port	SI
	Thunderbolt	NO
	USB-C	NO
	USB A to B	NO
	Remote Controller	NO
	Others (Accessory)	
CERTIFICACIONES	ISO 9001	
	WEE->WEEE	
	GOST-R RUSIA->EAC	
	CE	SI
	TCO	NO
	BSMI (for Taiwan)	SI
	Erp	SI
	EPEAT (Germany)	NO
	EPEAT (USA)	NO
	ISO 14001	
	EPA	NO
	VCCI (for Japan)	SI
	TUV-TYPE	SI
	TUV-GS	NO
	TUV-Ergo	NO
	FCC-B	SI
	CB	SI
	UL (cUL)	SI
	CCC (for china)	SI
	BIS (for India)	SI
	KC (for Rep. of Korea)	SI
	ROHs	
	ENERGY STAR	
	Otros (Standards)	