



Modelo	27GR83Q
Número de parte	27GR83Q-B
Marca	LG
Color	Negro
Garantía de fábrica	36 Meses CARRY-IN

		27GR83Q
Pantalla	Nombre del producto	UltraGear
	Año	Y23
	Pulgadas	27
	Medida de pantalla (cm)	68.5
	Resolucion	2560 x 1440
	Tipo de panel	IPS
	Tecnologia	TECNOLOGIA: LCD CON RETROILUMINACION LED
	Relacion de aspecto	16:9
	Pixel Pitch	0.2331 x 0.2331
	Brillo (Min.)	320 cd/m ²
	Brillo (Typ.)	400 cd/m ²
	Color Gamut (Min.)	DCI-P3 90% (CIE1976)
	Color Gamut (Typ.)	DCI-P3 95% (CIE1976)
	Profundidad de color (Numero de Colores)	1.07B
	Relacion de contraste (Min.)	700:1
	Relacion de Contraste (Typ.)	1000:1
	Tiempo de respuesta	1ms (GtG at Faster)
	Frecuencia (Max.) [Hz]	240
	Angulo de vision (CR≥10)	178º(R/L), 178º(U/D)
	Curvado	NO
	HDR 10	SI
	Dolby Vision™	NO
	VESA DisplayHDR™	DisplayHDR™ 400
	HDR Effect	SI
	Mini-LED Technology	NO
	Nano IPS™ Technology	NO
	Advanced True Wide Pol.	NO
	Color Calibrated in Factory	SI
	HW Calibration	HW Calibration Ready
	Auto Brightness	NO
	Flicker Safe	SI

Características	Reader Mode	SI
	Color Weakness	SI
	Super Resolution+	NO
	Motion Blur Reduction Tech.	NO
	NVIDIA G-Sync™	G-SYNC Compatible
	AMD FreeSync™	FreeSync Premium
	VRR	SI
	VESA Adaptive Sync	NO
	VESA ClearMR	NO
	Black Stabilizer	SI
	Dynamic Action Sync	SI
	Crosshair	SI
	FPS Counter	SI
	OverClocking	NO
	User Defined Key	SI
Ajuste de Monitor	Auto Input Switch	SI
	RGB LED Lighting	NO
	PBP	NO
	PIP	NO
	Smart Energy Saving	SI
	Camera	NO
	Mic	NO
	Others (Feature)	DTS HP:X (4-pole H/P Out)
	LG Calibration Studio (True Color Pro)	SI
	Dual Controller	NO
	OnScreen Control (LG Screen Manager)	SI
	LG UltraGear™ Control Center	NO
	LG UltraGear™ Studio	NO
	D-Sub	NO
	D-Sub (Max. Resolution at Hz)	N/A
	DVI-D	NO
	DVI (Max Resolution at Hz)	N/A
	HDMI	SI (2ea)
	DisplayPort	SI (1ea)
	DP Version	1.4 (DSC)
	Thunderbolt	NO
	Thunderbolt (Max. Resolution at Hz)	N/A
	Thunderbolt (Data Transsmission)	NO
	Thunderbolt (Power Delivery)	N/A
	USB-C	NO
	USB-C (Max. Resolution at Hz)	N/A
	USB-C (Data Transsmission)	NO
	USB-C (Power Delivery)	N/A

Conexión	Daisy Chain	NO
	USB Upstream Port	SI (1ea/ver3.0)
	USB Downstream Port	SI (2ea/ver3.0)
	Built-in KVM	NO
	LAN (RJ-45)	NO
	SPDIF out (Optical Digital Audio Out)	NO
	Audio In	NO
	Mic In	NO
	Headphone out	4-pole (Sound+Mic)
	Line out	NO
	Speaker	NO
	Bluetooth Conectivity	NO
	DTS HP:X	SI
	Maxx Audio	NO
	Rich Bass	NO
	Type	External Power(Adapter)
Energía	AC Input	100~240V (50/60Hz)
	Power Consumption (Typ.)	50W
	Power Consumption (Max.)	55W
	Power Consumption (Energy Star)	N/A
	Power Consumption (Sleep Mode)	Less than 0.5W
	Power Consumption (DC Off)	Less than 0.3W
Posicion, peso y medida	Display Position Adjustments	Tilt/Height/Pivot
	Wall Mountable [mm]	100 x 100 mm
	Dimension with Stand (W x H x D) [mm]	613.5x577.7x253.7(UP) / 613.5x467.7x253.7(DOWN)
	Dimension without Stand (W x H x D) [mm]	613.5x371.6x51.3
	Dimension in Shiping (W x H x D) [mm]	691x184x498
	Weight with Stand [kg]	6.20Kg
	Weight without Stand [kg]	4.30Kg
	Weight in Shipping [kg]	8.60kg
	Empaque de producto	Caja (SI)
Accesorios	D-Sub	NO
	DVI-D	NO
	HDMI	SI (ver 2.1)
	Display Port	SI
	Thunderbolt	NO
	USB-C	NO
	USB A to B	SI
	Remote Controller	NO

	Others (Accessory)	Cable holder / Mouse holder
CERTIFICACIONES	ISO 9001	
	WEE->WEEE	
	GOST-R RUSIA->EAC	
	CE	SI
	TCO	NO
	BSMI (for Taiwan)	
	Erp	SI
	EPEAT (Germany)	NO
	EPEAT (USA)	NO
	ISO 14001	
	EPA 5.0	NO
	VCCI (for Japan)	
	TUV-TYPE	SI
	TUV-GS	NO
	TUV-Ergo	NO
	FCC-B	
	CB	SI
	UL (cUL)	SI
	FCC-B	SI
	BIS (for India)	SI
	KC (for Rep. of Korea)	SI
	CCC (for china)	SI
	ROHs	
	ENERGY STAR	
	Otros (Standards)	