

Modelo	22MN430M-B
Número de parte	22MN430M-B.AWF
Marca	LG
Color	Negro
Garantía de fábrica	36 Meses CARRY-IN

		22MN430M-B
Pantalla	Nombre del producto	Monitor
	Year	Y20
	Pulgadas	21.5
	Medida de pantalla (cm)	54.6 cm
	Resolucion	1920 x 1080
	Tipo de panel	IPS
	Tecnologia	TECNOLOGIA: LCD CON RETROILUMINACION LED
	Relacion de aspecto	16:9
	Pixel Pitch	0.2480 x 0.2480 mm
	Brillo (Min.)	200 cd/m²
	Brillo (Typ.)	250 cd/m²
	Color Gamut (Min.)	N/A
	Color Gamut (Typ.)	NTSC 72% (CIE1931)
	Profundidad de color (Numero de Colores)	16.7M
	Relacion de contraste (Min.)	600:1
	Relacion de Contraste (Typ.)	1000:1
	Tiempo de respuesta	5ms (GtG at Faster)
	Frecuencia (Max.) [Hz]	75
	Angulo de vision (CR≥10)	178º(R/L), 178º(U/D)
Características	Curvado	NO
	HDR 10	NO
	Dolby Vision™	NO
	VESA DisplayHDR™	NO
	HDR Effect	NO
	Mini-LED Technology	NO
	Nano IPS™ Technology	NO
	Advanced True Wide Pol.	NO
	Color Calibrated in Factory	NO
	HW Calibration	NO
	Auto Brightness	NO
	Flicker safe	SI
	Reader Mode	SI
	Color Weakness	SI
	Super Resolution+	SI
	Motion Blur Reduction Tech.	NO
	NVIDIA G-Sync™	NO

	AMD FreeSync™	FreeSync
	VRR	NO
	Black Stabilizer	Black Stabilizer
	Dynamic Action Sync	SI
	Crosshair	SI
	FPS Counter	NO
	OverClocking	NO
	User Defined Key	NO
	Auto Input Switch	NO
	RGB LED Lighting	NO
Ajuste de Monitor	PBP	NO
	PIP	NO
	Smart Energy Saving	SI
	Camera	NO
	Mic	NO
	Others (Feature)	
	LG Calibration Studio (True Color Pro)	NO
	Dual Controller	NO
	OnScreen Control (LG Screen Manager)	SI
	LG UltraGear™ Control Center	NO
	LG UltraGear™ Studio	NO
Conexión	D-Sub	SI (1)
	D-Sub (Max. Resolution at Hz)	1920 x 1080 at 60Hz
	DVI-D	NO
	DVI (Max Resolution at Hz)	N/A
	HDMI	SI (2)
	DisplayPort	NO
	DP Version	N/A
	Thunderbolt	NO
	Thunderbolt (Max. Resolution at Hz)	N/A
	Thunderbolt (Data Transsmission)	NO
	Thunderbolt (Power Delivery)	N/A
	USB-C	NO
	USB-C (Max. Resolution at Hz)	N/A
	USB-C (Data Transsmission)	NO
	USB-C (Power Delivery)	N/A
	Daisy Chain	NO
	USB Upstream Port	NO
	USB Downstream Port	NO
	Built-in KVM	NO
	LAN (RJ-45)	NO
	SPDIF out (Optical Digital Audio Out)	NO
	Audio In	NO
	Mic In	NO

	Headphone out	3-pole (Sound Only)
	Line out	NO
	Speaker	NO
	Bluetooth Conectivity	NO
	DTS HP:X	NO
	Maxx Audio	NO
	Rich Bass	NO
	Type	External Power(Adapter)
Energía	AC Input	100~240V (50/60Hz)
	Power Consumption (Typ.)	19.7W
	Power Consumption (Max.)	29.0W
	Power Consumption (Energy Star)	N/A
	Power Consumption (Sleep Mode)	Less than 0.3W
	Power Consumption (DC Off)	Less than 0.3W
Posicion, peso y medida	Display Position Adjustments	Tilt
	Wall Mountable	75 x 75 mm
	Dimension with Stand (W x H x D)	509.6 x 395.8 x 181.9mm
	Dimension without Stand (W x H x D)	509.6 x 305.7 x 38.5mm
	Dimension in Shiping (W x H x D)	640 x 365 x 124mm
	Weight with Stand	2.8kg
	Weight without Stand	2.5kg
	Weight in Shipping	3.8kg
Accesorios	D-Sub	Depend on Country
	DVI-D	NO
	HDMI	Depend on Country
	Display Port	NO
	Thunderbolt	NO
	USB Type C	NO
	USB A to B	NO
	Remote Controller	NO
	Others (Accessory)	
EMPAQUE	CAJA	SI
Certificaciones	ISO 9001	NT FACTORY OK
	WEE->WEEE	SI
	GOST-R RUSIA->EAC	SI
	CE or UE	SI
	TCO	NO
	BSMI-Taiwan Mark	SI
	Eup/Erp	SI
	Epeat	NO
	ISO 14001	NT FACTORY OK
	EPA 5.0	
	VCC-JAPAN	SI
	TUV/S S-Mark(Japan)	NO

	FCC(USA)	SI
	UL	SI
	ROHs	SI
	ENERGY STAR	NO
	REGULATION SITE	NT